

MATERIAL SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product identifier **Dryene™**

Product Code(s) : None reported.
Product Use : Embalming Chemical
Chemical Family : Mixture.

Supplier's name and address:
The Dodge Chemical Co. (Canada) Ltd.

1265 Fewster Drive
Mississauga, Ontario L4W 1A2
Canada

Manufacturer's name and address:
Refer to Supplier

Information Telephone # : (905) 625-0311
24 Hr. Emergency Tel # : (613) 996-6666 (CANUTEC)

SECTION 2 - HAZARDS IDENTIFICATION

Classification : **WHMIS CLASSIFICATION**
Class B2 (Flammable Liquids)
Class D1B (Materials Causing Immediate and Serious Toxic Effects, Toxic Material)
Class D2A (Materials Causing Other Toxic Effects, Very Toxic Material)
Class D2B (Materials Causing Other Toxic Effects, Toxic Material)

OSHA: This material is classified as hazardous under OSHA regulations (29CFR1910.1200).
Hazardous classification
Flammable liquid
Acute Health Hazard
Chronic Health Hazard

Emergency Overview : Clear liquid. Solvent odor.
DANGER! Flammable liquid and vapour. Vapour can travel considerable distance and flashback to a source of ignition. Inhalation of vapours in high concentration may cause irritation of respiratory system. Possible severe eye irritation and tissue damage. May cause moderate skin irritation. Contact dermatitis can result from prolonged overexposure. Ingestion may cause severe irritation to the mouth, throat and stomach. May be fatal or cause blindness if swallowed, cannot be made non-poisonous. Contains material which may cause adverse blood system effects. Potential teratogen. Contains material that may cause adverse reproductive effects.

POTENTIAL HEALTH EFFECTS:

Signs and symptoms of short-term (acute) exposure

- Inhalation* : May cause irritation of the nose, throat, mucous membranes, and respiratory tract. Symptoms may include coughing, mucous production and difficulty breathing. May cause headache, nausea, dizziness and other symptoms of central nervous system depression. These effects may follow a latent period of no symptoms.
- Skin* : May cause moderate to severe skin irritation. Stinging, redness and possible dermatitis (rash). May be absorbed and cause symptoms similar to those for inhalation.
- Eyes* : May cause moderate to severe irritation. Symptoms will include pain, redness and tearing.
- Ingestion* : May be harmful if swallowed. Ingestion may cause severe irritation to the mouth, throat and stomach. Affected person could experience a latent period of no symptoms, followed by blurred vision and possibly blindness.

Effects of long-term (chronic) exposure

- : Contains Methanol. Methanol may cause fetotoxic and teratogenic effects at doses which are not maternally toxic, based on animal data. Prolonged or repeated skin contact may cause defatting and drying resulting in irritation and possible dermatitis.

Dryene II

MSDS Preparation Date (dd/mm/yyyy): 31/01/2013

- Carcinogenic status** : See TOXICOLOGICAL INFORMATION, Section 11.
- Additional health hazards** : Damage to kidneys and blood system. See TOXICOLOGICAL INFORMATION, Section 11.
- Potential environmental effects** : See ECOLOGICAL INFORMATION, Section 12.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredients</u>	<u>CAS #</u>	<u>Wt.%</u>
Methanol	67-56-1	60.00 - 65.00
Salicylic acid	69-72-7	20.00 - 25.00
2-Phenoxyethanol	122-99-6	5.00 - 10.00
Oxalic acid	144-62-7	0.50 - 1.00

SECTION 4 - FIRST AID MEASURES

- Inhalation** : Immediately remove person to fresh air. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. If symptoms develop, seek medical attention.
- Skin contact** : For skin contact, wash with soap and water while removing contaminated clothing. If irritation or symptoms develop, seek medical attention. Wash contaminated clothing before re-use.
- Eye contact** : Immediately flush eyes with running water for at least 15 minutes. Lift upper and lower lids during flushing to ensure complete removal of chemical. Seek immediate medical attention/advice.
- Ingestion** : Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Do not induce vomiting, unless directed to do so by qualified medical personnel. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Seek immediate medical attention/advice.
- Notes For Physician** : Immediate medical attention is required. Treat same as methanol poisoning. Onset of symptoms may be delayed for 18 to 24 hours after ingestion. Medical supervision for minimum 48 hours.

SECTION 5 - FIRE FIGHTING MEASURES

- Fire hazards/conditions of flammability** : Flammable liquid and vapor. This material may be ignited by heat, sparks and direct flame. Flammable vapours are heavier than air and may travel a distance from the source of the product.
- Flammability classification (OSHA 29 CFR 1910.1200)** : Flammable Liquid Class 1B.
- Oxidizing properties** : None known.
- Explosion data: Sensitivity to mechanical impact / static discharge** : Not expected to be sensitive to mechanical impact. May be sensitive to static discharge. Vapours in the flammable range may be ignited by a static discharge of sufficient energy.
- Suitable extinguishing media** : Use water fog or fine spray, foams, carbon dioxide or dry chemical. Do not use a solid water stream as it may scatter and spread fire.
- Special fire-fighting procedures/equipment** : Evacuate personnel to safe areas. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Fight fires from a safe distance. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Move uninvolved containers from fire area if it can be done so without risk. Cool closed containers exposed to fire with water spray. Avoid spreading burning liquid with water spray used for cooling purposes. Do not allow run-off from fire fighting to enter drains or water courses.

Dryene II

MSDS Preparation Date (dd/mm/yyyy): 31/01/2013

Hazardous combustion products

: Carbon oxides; formaldehyde; other unidentified organic compounds. Incomplete combustion may also produce irritating smoke and toxic and/or irritating gases or fumes.

NFPA Rating

0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe
 : *Health: 2 Flammability: 3 Instability: 0 Special Hazards: None*

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions

: Ensure clean-up is conducted by trained personnel only. Keep all other personnel upwind and away from the spill/release. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

Environmental precautions

: Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Spill response/cleanup

: **LAND SPILL:** Evacuate all personnel from affected areas and provide maximum explosion-proof ventilation. Restrict access to area until completion of clean-up. Stop spill or leak at source if safely possible. For large spills, dike the area to prevent spreading. Follow applicable explosion and fire precautions during the response. Remove all sources of ignition. Use only non-sparking tools and equipment in the clean-up process. Recover free liquid or cover with inert absorbent material and place into appropriate container for disposal. Contaminated absorbent material may pose the same hazards as the spilled product. Refer to Section 13 for disposal of contaminated material. Notify the appropriate authorities as required.

WATER SPILL: Spills in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal. Notify the appropriate authorities as required.

Prohibited materials

: Do not use combustible absorbents, such as sawdust.

Special spill response procedures

: If a spill/release in excess of the EPA reportable quantity is made into the environment, in US immediately notify the national response center in the United States (phone: 1-800-424-8802).
 US CERCLA Reportable quantity (RQ): Methanol (5000 lbs / 2270 kg); Acetone (5000 lbs / 2270 kg)
 other: Contact your local, state or federal environmental agency for specific rules.

SECTION 7 - HANDLING AND STORAGE

Safe Handling procedures

: Avoid contact with eyes, skin and clothing. Do not breathe vapours or spray mist. Use only in well-ventilated areas. Wear protective gloves/clothing and eye/face protection. Keep away from heat and sources of ignition. Do not cut, weld, drill or grind on or near this container. Keep away from incompatibles. Keep containers tightly closed when not in use. Do not use pressure to empty drums. Wash with soap and water after handling.

Storage requirements

: Store in a cool, dry, well-ventilated area. Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Store away from incompatibles and out of direct sunlight. Protect against physical damage. Inspect periodically for damage or leaks. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Storage facilities should be made of fire resistant materials. For large-scale storage, use a grounded, non-sparking ventilation system, approved explosion-proof equipment and intrinsically safe electrical systems. Have appropriate fire extinguishers and spill clean-up equipment in or near storage area.

Incompatible materials

: Oxidizing agents; Strong acids and strong bases; Powdered metals.

Special packaging materials

: Always keep in containers made of the same materials as the supply container.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits

<u>Ingredients</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Methanol	200 ppm (skin)	250 ppm	200 ppm	250ppm
Salicylic acid	N/Av	N/Av	N/Av	N/Av
2-Phenoxyethanol	N/Av	N/Av	N/Av	N/Av
Oxalic acid	1 mg/m ³	2 mg/m ³	1 mg/m ³	2mg/m ³

There is no established exposure limits for this product. The above exposure limits are provided for safety reasons.

Ventilation and engineering measures

: Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection

: Respiratory protection is required if the concentrations exceed the TLV. Use NIOSH/MSHA approved equipment. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. A self contained breathing apparatus should be used in emergency situations or instances where exposure levels are not known. Advice should be sought from respiratory protection specialists.

Skin protection

: Wear gloves impervious to this material. Wear a chemically resistant apron and long sleeves when dispensing, to prevent skin contact. Advice should be sought from glove suppliers.

Eye / face protection

: Chemical splash goggles must be worn when handling this material. A full face shield may also be necessary.

Other protective equipment

: An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

General hygiene considerations

: Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: Liquid.	Appearance	: Clear liquid.
Odour	: Solvent odor.	Odour threshold	: N/Av
pH	: N/Av		
Boiling point	: 63 - 65°C (145 - 149°F)	Specific gravity	: 0.850 - 0.950
Melting/Freezing point	: N/Av	Coefficient of water/oil distribution	: N/Av
Vapour pressure (mmHg @ 20° C / 68° F)	: N/Av	Solubility in water	: Partially soluble.
Vapour density (Air = 1)	: > 1	Evaporation rate (n-Butyl acetate = 1)	: 5.9
Volatile organic Compounds (VOC's)	: 695g/l (5.8lbs/gal)	Volatiles (% by weight)	: 75(approximately)
Flash point	: 12°C (54°F)		
Flash point Method	: closed cup	Auto-ignition temperature	: N/Av
Lower flammable limit (% by vol.)	: N/Av	Upper flammable limit (% by vol.)	: N/Av
Flame Projection Length	: N/Av	Flashback observed	: N/Av
Viscosity	: N/Av		

Dryene II

MSDS Preparation Date (dd/mm/yyyy): 31/01/2013

Absolute pressure of container

: N/Ap

Section 10: Stability And Reactivity

- Stability and reactivity** : Stable under the recommended storage and handling conditions prescribed.
- Hazardous polymerization** : Will not occur.
- Conditions to avoid** : Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Avoid contact with incompatible materials. Do not use in areas without adequate ventilation.

Materials To Avoid And Incompatibility

: See Section 7 (Handling and Storage) for further details.

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11 - TOXICOLOGICAL INFORMATION

Target organs : Eyes, skin, respiratory system, digestive system, central nervous system, blood system. Kidney injury may occur.

Routes of exposure : *Inhalation:* YES *Skin Absorption:* NO *Skin & Eyes:* YES *Ingestion:* YES

Toxicological data : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

Ingredients	LC₅₀(4hr)	LD₅₀	
	inh. rat	(Oral, rat)	(Rabbit, dermal)
Methanol	83712mg/m ³	5628 mg/kg	15800 mg/kg
Salicylic acid	>225mg/m ³	891 mg/kg	>2000mg/kg
2-Phenoxyethanol	N/Av	1260 mg/kg	5510 mg/kg
Oxalic acid	N/Av	475 mg/kg	>20000 mg/kg

Carcinogenic status : Contains the following chemicals listed as Group A4 (Not classifiable as a human carcinogen) by ACGIH: Acetone, Isopropyl alcohol.
Contains the following chemical(s) listed as Group 3 (Not Classifiable) by IARC: Isopropyl alcohol.
No other components are classified as carcinogenic by IARC, ACGIH, OSHA or NTP.

Reproductive effects : Contains a chemical or chemicals which can cause birth defects or other reproductive harm. This product contains: 2-Phenoxyethanol.

Teratogenicity : Contains Methanol. Methanol may cause fetotoxic and teratogenic effects, based on animal data. Effects were observed following inhalation of high concentrations of Methanol, at doses which were not maternally toxic.

Mutagenicity : Not expected to be mutagenic in humans.

Epidemiology : None known or reported by the manufacturer.

Sensitization to material : Not expected to be a skin or respiratory sensitizer.

Synergistic materials : None known or reported by the manufacturer.

Irritancy : Moderate to severe eye irritant. Moderate to severe skin irritant.

other important hazards : CNS depression may result from extreme exposures. May cause blindness if swallowed.

Conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.



SECTION 12 - ECOLOGICAL INFORMATION

- Ecotoxicity** : No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. The product contains the following substances which are hazardous for the environment:
Methanol (CAS 67-56-1):
LC50/96h/Pimephales promelas (Fathead minnow) = 28200 mg/L
LC50/96h/Oncorhynchus mykiss (rainbow trout) = 19500 - 20700 mg/L
LC50/96h/Lepomis macrochirus = 13500 - 17600 mg/L
Salicylic acid (CAS 69-72-7):
LC50/48h/Leuciscus idus (Golden orfe) = 90mg/L
EC50/48h/Daphnia magna (Water flea) = 870mg/L
2-Phenoxyethanol (CAS 122-99-6):
LC50/96h/Pimephales promelas (Fathead minnow) = 366mg/L
LC50/96h/Leuciscus idus = 220 - 460 mg/L
EC50/48h/Daphnia magna (Water flea) = >500mg/L
EC50/72h/Desmodesmus subspicatus (Freshwater algae) = >500mg/L
Oxalic acid (CAS 144-62-7):
LC50/24h/Lepomis macrochirus = 4000mg/L
EC50/48h/Daphnia magna (Water flea) = 125 - 150 mg/L
Dimethyl sulfoxide (CAS 67-68-5):
LC50/96h/Pimephales promelas (Fathead minnow) = 34mg/L
LC50/96h/Oncorhynchus mykiss (rainbow trout) = 33000 - 37000 mg/L
LC50/96h/Lepomis macrochirus = >40000mg/L
LC50/96h/Cyprinus carpio (Freshwater fish) = 41700mg/L
EC50/24h/Daphnia magna (Water flea) = 7000mg/L
EC50/96h/Skeletonema costatum = 12350 - 25500 mg/L
Acetone (CAS 67-64-1):
LC50/96h/Oncorhynchus mykiss (rainbow trout) = 4.74 - 6.33 ml/L
LC50/96h/Pimephales promelas (Fathead minnow) = 6210 - 8120 mg/L
LC50/96h/Lepomis macrochirus = 8300mg/L
EC50/48h/Daphnia magna (Water flea) = 12600 - 12700 mg/L
Isopropyl alcohol (CAS 67-63-0):
LC50/96h/Pimephales promelas (Fathead minnow) = 11130mg/L
LC50/96h/Lepomis macrochirus = >1400000µg/L
EC50/48h/Daphnia magna (Water flea) = 13299mg/L
EC50/96h/Desmodesmus subspicatus (Freshwater algae) = >1000mg/L
- Mobility** : No data is available on the product itself.
- Persistence** : No data is available on the product itself.
- Bioaccumulation potential** : No data is available on the product itself.
- Other Adverse Environmental effects** : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 - DISPOSAL CONSIDERATIONS

- Handling for Disposal** : Handle waste according to recommendations in Section 7. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Follow labeled warnings even after container is emptied.
- Methods of Disposal** : Reuse or recycling should be given priority over disposal. If the material is unsuitable for recycling or reclamation, dispose of in accordance with federal, provincial and local hazardous waste laws. Contact your local, state or federal environmental agency for specific rules.
- RCRA** : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14: TRANSPORT INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	UN1992	FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol)	3	II	
TDG Additional information	For shipments by ground for Canada, the Limited Quantity / Consumer Commodity Exemption may apply for containers which hold 1 Litre or less of the material. Under the TDGR, refer to Section 1.17 for additional exemption information, if shipping under this exemption.				
49CFR/DOT	UN1992	Flammable liquids, toxic, n.o.s. (Methanol)	3	II	
49CFR/DOT Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. Refer to 49 CFR Section 173.150.				

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): (5000 lbs / 2270 kg) Methanol; (5000 lbs / 2270 kg) Acetone.

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes:

Fire Hazard: Immediate (Acute) health hazard; Chronic Health Hazard.

Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This product may be subject to SARA notification requirements, since it contains Toxic Chemical constituents above their de minimus concentrations. This product contains: Methanol, Isopropyl alcohol.

US State Right to Know Laws:

California Proposition 65: To the best of our knowledge, this product does not contain any chemicals known to the State of California to cause cancer or reproductive harm.

Other U.S. State "Right to Know" Lists: The following chemicals are specifically listed by individual States:

Methanol (CAS 67-56-1): CA, MA, MN, NJ, PA, RI

Oxalic acid (CAS 144-62-7): CA, MA, MN, NJ, PA, RI

Dimethyl sulfoxide (CAS 67-68-5): NJ

Acetone (67-64-1): CA, MA, MN, NJ, PA, RI

Isopropyl alcohol (67-63-0): CA, MA, MN, NJ, PA, RI

International Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian WHMIS Classification: This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR). Refer to Section 2 for a WHMIS Classification for this product.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this MSDS contains all the information required by the CPR.

SECTION 16 - OTHER INFORMATION

HMIS Rating : * - Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe
*Health: *2 Flammability: 3 Reactivity: 0*

Legend : ACGIH: American Conference of Governmental Industrial Hygienists
 CA: California
 CAS: Chemical Abstract Services
 CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
 CFR: Code of Federal Regulations
 DOT: Department of Transportation
 EPA: Environmental Protection Agency
 HMIS: Hazardous Materials Identification System
 HSDB: Hazardous Substances Data Bank
 IARC: International Agency for Research on Cancer
 Inh: Inhalation
 LC: Lethal Concentration
 LD: Lethal Dose
 MA: Massachusetts
 MN: Minnesota
 N/Ap: Not Applicable
 N/Av: Not Available
 NFPA: National Fire Protection Association
 NJ: New Jersey
 NTP: National Toxicology Program
 NIOSH: National Institute of Occupational Safety and Health
 OSHA: Occupational Safety and Health Administration
 PA: Pennsylvania
 PEL: Permissible exposure limit
 RCRA: Resource Conservation and Recovery Act
 RI: Rhode Island
 RTECS: Registry of Toxic Effects of Chemical Substances
 SARA: Superfund Amendments and Reauthorization Act
 STEL: Short Term Exposure Limit
 TLV: Threshold Limit Values
 TWA: Time Weighted Average
 WHMIS: Workplace Hazardous Materials Identification System

References : 1. ACGIH, Threshold Limit Values and Biological Exposure Indices
 2. International Agency for Research on Cancer Monographs
 3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases (Chempendium, HSDB and RTECs).
 4. Material Safety Data Sheet from manufacturer.
 5. US EPA Title III List of Lists
 6. California Proposition 65 List

<p><u>Prepared for:</u> The Dodge Chemical Co. (Canada) Ltd. 1265 Fewster Drive Mississauga, Ontario L4W 1A2 Canada Telephone: (905) 625-0311 Please direct all inquiries to Dodge Chemical Co. (Canada) Ltd.</p>	
<p><u>Prepared by:</u> ICC The Compliance Center Inc. http://www.thecompliancecenter.com</p>	



Dryene II

MSDS Preparation Date (dd/mm/yyyy): 31/01/2013

Page 9 of 9

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from The Dodge Company Inc. and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and The Dodge Company Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and The Dodge Company Inc.

MSDS Preparation Date (dd/mm/yyyy)

: 31/01/2013

END OF DOCUMENT