

SDS Revision Date: 06/19/2019

1. Identification

1.1. Product identifier

Product Identity Introfiant DC

Alternate Names Introfiant DC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name The Dodge Company, Inc

9 Progress Road

Billerica, MA 01821

Emergency

CHEMTREC (USA) (800) 424-9300

Customer Service: The Dodge Company, Inc (800) 443-6343, (978) 600-2099

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Flam. Liq. 3;H226 Flammable liquid and vapor.

Acute Tox. 4;H302 Harmful if swallowed.

Acute Tox. 3;H311 Toxic in contact with skin.

Acute Tox. 3;H331 Toxic if inhaled.

Skin Corr. 1B;H314 Causes severe skin burns and eye damage.

Eye Irrit. 2;H319 Causes serious eye irritation.

Skin Sens. 1;H317 May cause an allergic skin reaction.

Muta. 2;H341 Suspected of causing genetic defects.

Carc. 1B;H350 May cause cancer.

STOT SE 3;H335 May cause respiratory irritation.

2.2. Label elements



Danger



SDS Revision Date: 06/19/2019

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, eye protection, face protection.

[Response]:

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor, physician if you feel unwell.

P302+352 IF on skin: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+312 If inhaled: Call a poison center or doctor or physician if you feel unwell.

P305+351+338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice or attention.

P311 Call a POISON CENTER or doctor, physician.

P321 Specific treatment (see information on this label).

P330 IF SWALLOWED: Rinse mouth.

P331 Do NOT induce vomiting.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P363 Wash contaminated clothing before reuse.



SDS Revision Date: 06/19/2019

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Formaldehyde CAS Number: 0000050-00-0	25 - 50	Carc. 1B;H350 Muta. 2;H341 Acute Tox. 3;H301 Acute Tox. 3;H311 Acute Tox. 3;H331 Skin Corr. 1B;H314 ≥ 25 % Skin Irrit. 2;H315 5 % ≤ C < 25 % Skin Sens. 1;H317 >0.2 % STOT SE 3;H335 ≥ 5 %	[1][2]
Borates, tetra, sodium salts, decahydrate CAS Number: 0001303-96-4	1 - 5	Repr. 1B;H360FD (@> 8.5%) Acute Tox. 4;H332	[1][2]
1,2-Propylene glycol CAS Number: 0000057-55-6	1 - 5	Not Classified	[1]
Methanol CAS Number: 0000067-56-1	1 - 5	Flam. Liq. 2;H225 Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 STOT SE 1;H370 (> 10%)	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

^[1] Substance with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.



SDS Revision Date: 06/19/2019

Ingestion If the person is conscious, have them drink water. Contact a physician immediately. Do not

induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

Reproductive or genetic defect hazard. Treat symptomatically. See section 2 for further

details.

Inhalation Toxic if inhaled. May cause respiratory irritation.

Eyes Causes serious eye irritation.

Skin Toxic in contact with skin. May cause an allergic skin reaction. Causes severe skin burns

and eye damage.

Ingestion Harmful if swallowed.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Dry chemical, foam, carbon dioxide and water fog.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: May form formaldehyde gas, carbon oxides, hydrogen, formic acid and various hydrocarbons. Incomplete combustion may also produce irritating smoke and toxic and/or irritating gases or fumes.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep container tightly closed.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust, fume, gas, mist, vapors, spray.

Do not get in eyes, on skin, or on clothing.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus to protect from decomposition products.

ERG Guide No. 132

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep container closed when not in use. Avoid contact with eyes, skin, or clothing.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up



SDS Revision Date: 06/19/2019

Vapor is heavier than air and may flow along surface to distant ignition source and flashback. Neutralize residual product in the spill area using sodium carbonate or sodium bicarbonate. DO NOT USE COMBUSTIBLE MATERIALS.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Avoid contact with strong oxidizers, strong alkalies, strong mineral acids, phenol and urea. See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

Section 8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000050-00-0	Formaldehyde	OSHA	TWA 0.75 ppm STEL 2 ppm
		ACGIH	0.1 ppm TWA 0.3 ppm STEL
		NIOSH	Ca TWA 0.016 ppm C 0.1 ppm [15-minute]
0000057-55-6	1,2-Propylene glycol	OSHA	No Established Limit
		ACGIH	TWA(Aerosol): 10 mg/m3
		NIOSH	No Established Limit
0000067-56-1 Methanol		OSHA	TWA 200 ppm (260 mg/m3)
		ACGIH	TWA: 200 ppm STEL: 250 ppm
		NIOSH	TWA 200 ppm (260 mg/m3) ST 250 ppm (325 mg/m3) [skin]
0001303-96-4	Borates, tetra, sodium salts, decahydrate	OSHA	No Established Limit
		ACGIH	TWA: 2 mg/m3 STEL: 6 mg/m3
		NIOSH	TWA 5 mg/m3

8.2. Exposure controls

Respiratory Not necessary where area is properly ventilated.

Eyes Wear safety glasses with side shields to protect the eyes. An eye wash station is

suggested as a good workplace practice.

Skin Overalls which cover the body, arms and legs should be worn. Skin should not be exposed.

All parts of the body should be washed after contact. Wear PVC or rubber gloves to keep skin contact to a minimum. Refer to the manufacturer's recommendations regarding the

suitability of any gloves used.



SDS Revision Date: 06/19/2019

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

< 1

Appearance Clear, deep garnet Liquid

Odor Pungent

Odor threshold Not determined

pH 8 - 9

Melting point / freezing point Not Measured

Initial boiling point and boiling range 90 - 92C (194 - 198F)
Flash Point 53 - 56C (128 - 132F) TCC

Evaporation rate (Ether = 1)

Flammability (solid, gas) Not Applicable

 Upper/lower flammability or explosive limits
 Lower Explosive Limit: 7 (formaldehyde)

Upper Explosive Limit: 73 (formaldehyde)

Vapor pressure (Pa) Not Measured

Vapor Density > 1

Relative Density

Solubility in Water

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

1.080 - 1.090

Not Measured

Not Measured

Decomposition temperature

Not Measured

Not Measured

Viscosity (cSt)

Not Measured

VOC Content 96%

9.2. Other information

No other relevant information.

Section 10. Stability and reactivity

10.1. Reactivity



SDS Revision Date: 06/19/2019

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under the recommended storage and handling conditions prescribed. At higher temperatures, product may form formic acid and methanol.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid heat and open flame. Exposure to cold may cause precipitation of the polymer, will redissolve upon gentle heating.

10.5. Incompatible materials

Avoid contact with strong oxidizers, strong alkalies, strong mineral acids, phenol and urea.

10.6. Hazardous decomposition products

May form formaldehyde gas, carbon oxides, hydrogen, formic acid and various hydrocarbons. Incomplete combustion may also produce irritating smoke and toxic and/or irritating gases or fumes.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Formaldehyde - (50-00-0)	260.00, Guinea Pig - Category: 3	270.00, Rabbit - Category: 3			1,000.00, Rat - Category: 3
Borates, tetra, sodium salts, decahydrate - (1303-96-4)	2,660.00, Rat - Category: 5	10,000.00, Rabbit - Category: NA		2.00, Rat - Category: 4	
1,2-Propylene glycol - (57-55-6)	22,000.00, Rat - Category: NA	>2,000.00, Rabbit - Category: 5	105.00, Rat - Category: NA		
Methanol - (67-56-1)	2,769.00, Rat - Category: 5	17,100.00, Rabbit - Category: NA			64,000.00, Rat - Category: NA

Carcinogen Data

CAS No.	Ingredient	Source	Value		
0000050-00-0	Formaldehyde	OSHA	Regulated Carcinogen: Yes		
		NTP	Known: Yes; Suspected: Yes		



SDS Revision Date: 06/19/2019

		IARC	Group 1: Ye	s; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH	A1					
0000057-55-6	1,2-Propylene glycol	OSHA	Regulated C	Carcinogen: No				
		NTP	Known: No;	Suspected: No				
		IARC	Group 1: No	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH	No Establish	ned Limit				
0000067-56-1	Methanol	OSHA	Regulated C	Regulated Carcinogen: No				
		NTP	Known: No; Suspected: No					
		IARC		Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH						
0001303-96-4	Borates, tetra, sodium salts, decahydrate	OSHA		Carcinogen: No				
	decanydrate	NTP		Suspected: No				
		IARC		y; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH	A4					
Classification		Ca	tegory	Hazard Description				
Acute toxicity (oral)			4	Harmful if swallowed.				
Acute toxicity (dermal)			3	Toxic in contact with skin.				
Acute toxicit	y (inhalation)		3	Toxic if inhaled.				
Skin corrosio	on/irritation		1B	Causes severe skin burns and eye damage.				
Serious eye	damage/irritation		2	Causes serious eye irritation.				
Respiratory	sensitization			Not Applicable				
Skin sensitiz	ation		1	May cause an allergic skin reaction.				
Germ cell m	utagenicity		2	Suspected of causing genetic defects.				
Carcinogenicity			1B	May cause cancer.				
Reproductive toxicity				Not Applicable				
STOT-single	exposure		3	May cause respiratory irritation.				
STOT-repea	ted exposure			Not Applicable				
Aspiration hazard				Not Applicable				

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
------------	--------------------------	----------------------------------	----------------------



SDS Revision Date: 06/19/2019

Formaldehyde - (50-00-0)	1.41, Oncorhynchus mykiss	5.80, Daphnia pulex	Not Available
Borates, tetra, sodium salts, decahydrate - (1303-96-4)	74.00, Limanda limanda	484.00, Daphnia magna	24.00 (72 hr), Scenedesmus subspicatus
1,2-Propylene glycol - (57-55-6)	40,613.00, Oncorhynchus mykiss	43,500.00, Daphnia magna	24,200.00 (72 hr), Pseudokirchneriella subcapitata
Methanol - (67-56-1)	15,400.00, Lepomis macrochirus	18,260.00, Daphnia magna	22,000.00 (96 hr), Pseudokirchneriella subcapitata

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

DOT (Domestic Surface Transportation)

14.1. UN number UN1198

14.2. UN proper UN1198, Formaldehyde solutions,

shipping name flammable, 3, III

14.3. Transport hazard DOT Hazard Class: 3

class(es)

14.4. Packing group

14.5. Environmental hazards

IMDG Marine Pollutant: No;

14.6. Special precautions for user

Not Applicable

IMO / IMDG (Ocean ICAO/IATA Transportation)

UN1198 UN1198

Formaldehyde solutions, Formaldehyde solutions,

flammable flammable Mir Class: 3

III

Sub Class: 8

Ш

Section 15. Regulatory information



SDS Revision Date: 06/19/2019

Regulatory Overview

The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

Inventory.

US EPA Tier II Hazards

Fire: Yes

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): Yes

EPCRA 302 Extremely Hazardous:

Formaldehyde

EPCRA 313 Toxic Chemicals:

Formaldehyde

Methanol

Proposition 65 - Carcinogens (>0.0%):

Formaldehyde

Proposition 65 - Developmental Toxins (>0.0%):

Methanol

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:



WARNING!: This product can expose you to chemicals including [Formaldehyde], which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Section 16. Other information

SDS Revision Date 06/19/2019

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.



SDS Revision Date: 06/19/2019

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360FD May damage fertility. Suspected of damaging the unborn child.

H370 Causes damage to organs.

H371 May cause damage to organs.

This Safety data Sheet was prepared using information provided by/obtained from the Dodge Chemical Company Inc. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to the product. The Dodge Chemical Company, Inc. expressly disclaim all expressed or implied warranty and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other processes as to the accuracy of and/or sufficiency of such information. This Safety Data Sheet may not be changed or altered in any way without the expressed knowledge and permission of The Dodge Chemical Company, Inc.

End of Document